	Application No.	Applicant(s)
		MILLER ET AL.
Notice of Allowability	10/615,349 Examiner	Art Unit
	Scott A Rogers	2626
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to the preliminary amendment filed July 8, 2003.		
2. The allowed claim(s) is/are <u>1-26</u> .		
3. X The drawings filed on <u>July 8, 2003</u> are accepted by the Examiner.		
4.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summar Paper No./Mail Da 08), 7. ☒ Examiner's Amend	ate

Application/Control Number: 10/615,349

Art Unit: 2626

Examiner's Amendment

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jeff Cameron on September 30, 2004.

The application has been amended as follows:

In the specification (as amended):

On page 1, line 2, after "1999," inserted ---now U.S. Patent No. 6,760,122 B1 issued July 6, 2004,---.

In the claims (as amended):

In claim 1, line 7, replaced "equal" with ---is approximately the value needed to represent---.

In claim 18, line 8, replaced "equal" with ---is approximately the value needed to represent---.

In claim 25, line 7, replaced "equal" with ---is approximately the value needed to represent---.

In claim 25, line 10, replaced "equalling" with --- approximating---.

In claim 26, line 7, replaced "equal" with ---is approximately the value needed to represent----.

Application/Control Number: 10/615,349

Art Unit: 2626

Examiner's Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

Referring to claims 1-26, the prior art searched and of record neither anticipates nor suggests in the claimed combinations, transforming a second set of color values, formed by dithering a first set of color values, into a second color space, such that the average value of the second set of color values is approximately the value needed to represent the first set of color values.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Prior Art

Kakutani (US 6215561) discloses an error diffusion method or a least mean-error method adopted by the pre-tone number conversion unit 140 (Fig. 7) that converts each piece of original image data in a first color space to a second value relating to an adjacent lattice point, in order to make the mean value of local color in a specific area substantially equal to the original color image data. However, Kakutani does not teach a color transformation process that transforms the converted image data in a first color space into image data in a second color space, such that the average value of the image data in a second color space is approximately the value needed to represent the original image data in the first color space.

Art Unit: 2626

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Scott A Rogers whose telephone number is 703-305-4726. The examiner can normally be reached on Monday & Wednesday 6:00am-6:00pm and Tuesday & Thursday 6:00am-2:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kimberly Williams can be reached on 305-4863.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to Customer Service at 703-306-0377. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SCOTT ROGERS
PRIMARY EXAMINER